**Packaged Oil-Skimming Systems**

 Abanaki's Discrete Security Oil Skimmer Groundwater Remediation Packages are for use where there's a need to keep the skimmer from being tampered with or in applications where the operation of oil-removal equipment may be deemed unsightly. These lockable poly-shelters are available in two sizes to accommodate various oil skimmers and option configurations. A 30- or 55-gal. drum can be used for oil collection depending on the size of enclosure. The systems incorporate endless belts in 1", 2" or 4" widths that fit in 2", 4" and 6" or larger diameter well casings.

**Abanaki Corp.**
**Cleveland, OH**

 **For more info, enter 30 at www.LMTfreeinfo.com**

**Microbial-Resistant Machining Coolant**

 Rustlick Ultracut 380R from ITW Rocol is a semi-synthetic, microbial-resistant coolant suited for a range of machining and grinding applications. According to the company, it provides long-lasting performance without additives. The coolant contains no DCHA (dicyclohexamine), chlorine, boron, phenol, nitrites, triazines, sulfur, copper or SARA 313-reportable chemistry. Available in 5- or 55-gallon containers, the product is recommended for ferrous & nonferrous metals, aluminum, titanium, brass, bronze, copper and other high-nickel alloys.

**ITW Rocol North America**
**Glenview, IL**

**For more info, enter 31 at www.LMTfreeinfo.com**

**Hydraulic Oil For Injection Molding Equipment**

 Klüber Lubrication's Klüberfood 4 NH1-46 is the only NSF H1-registered, fully synthetic hydraulic oil approved for use on Husky injection molding equipment. According to Klüber, the oil can reduce contaminant build-up and valve blockages, resulting in longer oil-change intervals and lower operating costs. It also provides good oxidation stability and overall stability from -40

to 135 C. Husky has approved the oil's use on all generations of its machines.

**Klüber Lubrication**
**Londonderry, NH**

**For more info, enter 32 at www.LMTfreeinfo.com**

**Sprayable Ceramic Coating**

Henkel's Loctite® Nordbak® 7255™ is a two-part, sprayable ceramic coating designed to protect metal surfaces on industrial equipment from wear, abrasion and corrosion. Packaged in a reusable dual-cartridge dispenser, it may be quickly and evenly applied to large surfaces and complex or intricate areas. The coating features a solvent-free, thixotropic formulation and is suited for use on tank linings, mixing vessels, pump housings, impellers, chutes, troughs and centrifuge components.

**Henkel Corp.**
**Rocky Hill, CT**

**For more info, enter 33 at www.LMTfreeinfo.com**

**Comfortable, Disposable Respirators**

 Magid Glove & Safety's Precision Safety® Disposable IR1970P95 Respirators are designed to filter at least 95% of airborne particles, protect against certain oil and non-oil based particles and provide nuisance relief from acid gas and organic vapors. According to Magid, these NIOSH 42 CFR-approved products can standardize on one filtering face mask what may have previously taken three separate respirators. Comfort-enhancing features include adjustable nosepieces and full face seals.

**Magid Glove & Safety Mfg. Co. LLC**
**Chicago, IL**

**For more info, enter 34 at www.LMTfreeinfo.com**